·	ermit #
	own/Village/RM of Professional Building
Address:	Inspections, Inc.
Legal Land Location:	
Phone: Cell:	Health & Safety Requirements:
Email:	<ul> <li>GFI in the bathroom</li> </ul>
Contractor: Ph:	<ul> <li>Bathroom ventilation</li> </ul>
Specifications	<ul> <li>Smoke alarms interconnected with other floors</li> <li>(Smoke alarms are required in each bedroom and on each level)</li> </ul>
Structural Changes Affecting:	Carbon monoxide (CO) alarms
Walls:	(CO alarms are required to be within 5 m of each bedroom door)
Stud size & spacing:	
Wall height:	Other:
Windows:	Fireplace: NoneGas Electric Wood
Note: <u>For bedroom windows</u> - No dimension less than 380mm (15") of unobstructed opening for openable portion of window (e.g. 15" x 36") Hardware or sash must not have to be removed for egress; sash must not be supported.	(Provide fireplace manufacturer's installation specifications and combustion air source specifications, if applicable.)
sasii must not be supported.	Describe the renovation:
Roof & Floor Joists/Trusses:	
Type: Vaulted/Cathedral:8 foot:Other:	
Ceiling Insulation:	
Engineered Trusses (for roof and/or floor joists): Other: (If engineered, provide a detail/layout stamped by a Structural Engineer that is	
Venting of Roof (soffits & roof):	

## Foundation/Beams:

Specifications & plans require a Structural Engineer stamp and must be site specific.